

BATTERIES

Lead Crystal selection

SOLAR BATTERY / 3 Year Warranty

01 September 2016

Part No.	Description	Short Code	Dimensions LxWxHxTH	Volts	A/H at 10hr rate	Weight Kg	
Standby & UPS		Sealed Maintenance Free					
BC-CNFJ-100	2 Volt cells		172x72x205x210	2	100	5.25	
BC-CNFJ-200	2 Volt cells		175x110x330x340	2	200	15	
BC-CNFJ-300	2 Volt cells		175x154x330x365	2	300	22	
BC-CNFJ-400	2 Volt cells		210x175x330x335	2	400	27	
BC-CNFJ-500	2 Volt cells		244x175x330x335	2	500	32.5	
BC-CNFJ-800	2 Volt cells		410x175x330x365	2	800	55	
BC-CNFJ-1000	2 Volt cells		475x175x330x335	2	1000	64	
BC-CNFJ-1500	2 Volt cells		401x351x342x378	2	1500	110	
BC-CNFJ-2000	2 Volt cells		491x351x348x348	2	2000	0.13	
BC-3CNFJ-4.5	6 Volt battery		70x48x101x107	6	4.5	0.8	
BC-3CNFJ-7	6 Volt battery		151x35x94x100	6	7.2	1.35	
BC-3CNFJ-10	6 Volt battery		151x50x94x100	6	10	2	
BC-3CNFJ-12	6 Volt battery		151x50x94x100	6	12	2.1	
BC-6CNFJ-7.2	12 Volt battery		151x65x98x98	12	7.2	1.35	
BC-6CNFJ-12	12 Volt battery		151x99x98x104	12	12	4.15	
BC-6CNFJ-18	12 Volt battery		181x76x152	12	12	4.15	
BC-6CNFJ-22	12 Volt battery		181x76x170x170	12	22	6.9	
BC-6CNFJ-24	12 Volt battery		175x166x125x125	12	24	7.8	
BC-6CNFJ-28	12 Volt battery		175x166x125x125	12	28	8.5	
BC-6CNFJ-35	12 Volt battery		194x132x172x190	12	35	14.5	
BC-6CNFJ-40	12 Volt battery		198x166x172x172	12	40	14.2	
BC-6CNFJ-55	12 Volt battery		229x138x210x215	12	55	18	
BC-6CNFJ-65	12 Volt battery		348x167x175x175	12	65	22	
BC-6CNFJ-70	12 Volt battery		259x169x206x210	12	70	23	
BC-6CNFJ-90	12 Volt battery		306x169x206x225	12	90	28	
BC-6CNFJ-100	12 Volt battery		330x172x216	12	100	30	
BC-6CNFJ-120	12 Volt battery		408x174x211x234	12	120	37	
BC-6CNFJ-150	12 Volt battery		486x170x241x241	12	150	45	
BC-6CNFJ-200	12 Volt battery		522x240x219x225	12	200	64	
BC-6CNFT-100	12 Volt front terminal		560x125x228	12	100	33	
BC-6CNFT-170	12 Volt front terminal		560x125x320x320	12	170	61	
Golf Cart		Sealed Maintenance Free					
BC-EVFJ-180	6 Volt golf cart battery		260x181x286	6	180		
BC-EVFJ-210	6 Volt golf cart battery		260x181x302	6	210		
BC-4EVFJ-135	8 Volt golf cart battery		260x181x286	8	135		
BC-6EVFJ-120	12 Volt golf cart battery		333x179x283	12	122		
BC-6EVFJ-27	12 Volt golf cart battery		176x166x125	12	31.5		
Solsave / Silicone							

Part No.	Description		Dimensions LxWxH	Volts	A/H at 20hr rate	Weight Kg	
Standby & UPS - Front Terminal							
BCS-12V100A	12v100A Silicone Batt		331x175x225	12	109.5		
BCS-12V12A	12v12A Silicone Batt		151x98x98	12	12		
BCS-12V22A	12v22A Silicone Batt		181x77x171	12	22		
BCS-12V24A	12v24A Silicone Batt		177x167x126	12	27		
BCS-12V7A	12V7A Silicone Batt		151X64X97	12	8.6		

Sealed VRLA
1 Year Warranty

01 September 2016

Part No.	Description	Short Code	Dimensions LxWxHxTH	A/H at 20hr rate	A/H at 10hr rate	Weight (KGs)	Terminal Layout
Standby & U.P.S Applications							
BK-6V1.4	BK-6V1.4		97x24x51(57)	1.4	1.3	0.26	Spade (4.75mm)
BK-6V4.5	BK-6V4.5		70x48x101(107)	4.5	4.1	0.77	Spade (4.75mm)
BK-6V10	BK-6V10		151x50x94(100)	10	9.2	1.61	Spade (4.75mm)
BK-12V1.4	BK-12V1.4		97x43x51(57)	1.4	1.3	0.5	Spade (4.75mm)
BK-12V2.4	BK-12V2.4		178x35x61(67)	2.4	2.2	0.93	Spade (4.75mm)
BK-12V4.5	BK-12V4.5		90x70x101(107)	4.5	4.1	1.6	Spade (4.75mm)
BK-12V7.2	BK-12V7.2		151x65x94(100)	7.2	6.4	2.54	Spade (4.75mm)
BK-12V7.2L	BK-12V7.2L		151x65x94(100)	7.2	6.4	2.54	Spade (6.35mm)
BK-12V12	BK-12V12		151x98x95(101)	12	10.8	3.5	Spade (4.75mm)
BK-12V18	BK-12V18		180x77x167(167)	18	16.2	5.5	RHP Flat Lug (6mm)
BK-12V24	BK-12V24		166x175x126(126)	24	21.6	8.3	RHP Flat Lug (6mm)
BK-12V26	BK-12V26		166x175x126(126)	26	23.8	8	RHP Flat Lug (6mm)
BK-12V33	BK-12V33		197x131x157(185)	33	30.4	9.8	LHP Flat Lug (6mm)
BK-12V40	BK-12V40		196x166x177(177)	40	37	14	RHP Screw in (8mm)
BK-12V65	BK-12V65		259x169x209x(233)	65	55.3	21	Flat Lug (8mm)
BK-12V70	BK-12V70		259x169x209(233)	70	63	22.02	LHP Lug (8mm)
BK-12V100	BK-12V100		330x174x219(227)	100	92	30.1	LHP Screw in (8mm)
BK-12V120	BK-12V120		405x173x225(237)	120	110	35.2	LHP Screw in (8mm)
BK-12V150	BK-12V150		495x205x212(227)	150	138	48.3	LHP Screw in (8mm)
BK-12V200	BK-12V200		524x231x218(243)	200	180	62.9	RHP Flat Lug (8mm)
Gel types Sealed Gel							
BK-12V8G	BK-12V8G		151x65x94(100)	8	7	2.54	Spade (4.75mm)
BK-12V12G	BK-12V12G		151x98x95(101)	12	11	3.5	Spade (4.75mm)
BK-12V24G	BK-12V24G		166x175x126(126)	24	21.6	8.3	RHP Flat Lug (6mm)
BK-12V18G	BK-12V18G		180x77x167(167)	18	16	5.5	RHP Flat Lug (6mm)
BK-12V28G	BK-12V28G		166x175x126(126)	28	24	8.3	RHP Flat Lug (6mm)
BK-12V40G	BK-12V40G		196x166x177(177)	40	36	14	LHP Screw in (6mm)
BK-12V70G	BK-12V70G		259x169x209(233)	70	63	22.02	RHP Flat Lug (8mm)
BK-12V80G	BK-12V80G		259x169x209(233)	80	74	24.42	RHP Flat Lug (8mm)
BK-12V100G	BK-12V100G		330x174x219(227)	100	92	30.21	LHP Screw in (8mm)
BK-12V120G	BK-12V120G		405x173x225(237)	120	110	35.2	LHP Screw in (8mm)
BK-12V150G	BK-12V150G		495x205x212(227)	150	138	48.3	LHP Screw in (8mm)

BK-12V200G	BK-12V200G		524x231x218(243)	200	180	62.9	RHP Flat Lug (8mm)
------------	------------	--	------------------	-----	-----	------	--------------------

Premium Sealed Maintenance Free Model Selection

Neutral

01 September 2016

2 YEAR WARRANTY ON AUTOMOTIVE APPLICATION ONLY WHEN SOLD IN SOUTH AFRICA

Part No.	Description	Short Code	Dimensions LxWxH	A/H at 20hr rate	CCA -18°C En	Res Cap Minutes	Terminal Layout
Automotive Range							
BD-2741N	618/9 HC	T4 (A17)	207x175x175	41	360	61	RHP Tapered
BD-2668N	621/39	D26L(E23)	261x172x220	68	550	110	RHP Tapered
BD-3668N	622/38	D26R(E24)	261x172x220	68	550	110	LHP Tapered
BD-2753N	628	(T5)	242x175x175	53	470	81	RHP Tapered
BD-2060N	646 HC	(D24)	242x175x190	60	540	94	RHP Tapered
BD-2770N	647/51	E9	278x175x175	70	640	113	RHP Tapered
BD-3690N	650	D31R(G8)	306x172x225	90	740	150	LHP Tapered
BD-2070N	652	H6 (E13)	278x175x190	70	640	113	RHP Tapered
BD-2690N	656	D31L(G7)	306x172x225	90	740	150	RHP Tapered
BD-2095N	658	F6 (H8)	353x175x190	95	800	165	RHP Tapered
BD-3070N	657	H6R (E12)	278x175x190	74	680	121	LHP Tapered
BD-1250N	674 Stud S/by	(H14W)	330x172x240	102	680	180	CL Stud
BD-1251N	674 Taper S/by	(H13W)	330x172x240	102	680	180	CL Tapered
BD-54-105N	674 D/Cycle Taper	(A24)	330x175x240	105	-	165	CL Tapered
BD-615B19R	615	A14 (B19L)	187x128x227	35	300	55	LHP Tapered
BD-616B19L	616	A15 (B19R)	187x128x227	35	300	55	RHP Tapered
BD-649D23LN	621	D23L	232x172x225	60	510	94	RHP Tapered
BD-649D23RN	622	D23R	232x172x225	60	510	94	LHP Tapered
BD-686N	683	K8	513x189x223	140	800	273	LHP Tapered
BD-692N	692	M8	513x223x223	170	1000	356	LHP Tapered
BD-695N	695	N9	518x276x242	225	1150	531	LHP Tapered
BD-696N	696	M18	513x223x223	180	1000	386	LHP Tapered

Sealed Maintenance Free Model Selection

Global 12v / 1 Year Warranty

01 September 2016

Part No.	Description	Short Code	Dimensions LxWxH	A/H at 20hr rate	CCA -18°C SAE	Terminal Layout
00 January 1900						
BK-U1-250	Spec		195x130x183	23	250	LHP Flat Lug
BK-U1R-250	Spec		195x130x183	23	250	RHP Flat Lug
BK-NS40ZS	615 UPS		187x127x226	35	300	LHP Tapered
BK-NS40ZH	615		187x127x226	35	300	LHP J Tapered
BK-NS40ZLH	616		187x127x226	35	300	RHP J Tapered
BK-NX110-5L	621 (NS70L)		260x173x222	70	600	RHP Tapered
BK-NX100-S6S	634		238x129x225	45	430	LHP Tapered

BK-NX120-7H	650		303x173x225	90	750		LHP Tapered
BK-NX120-7LH	656		303x173x225	90	750		RHP Tapered
BK-59042	668		315x175x190	90	780		RHP Tapered
BK-59043	669		315x175x190	90	780		LHP Tapered
BK-75-550	Spec		231x179x185	50	550		LHP Side
BK-78-710	Spec		260x179x185	74	710		LHP Side
Heavy Duty Automotive, Trucking & Standby							
BK-1150K	674 STUD		330x173x232	100	830		Stud Terminal
BK-1151K	674		330x173x232	100	830		Centre Tapered
BK-68032	696		513x222x220	180	950		LHP Tapered
BK-72.120(RHP)	682		505x183x240	120	920		RHP Tapered
BK-72.120L	683		505x183x240	120	920		LHP Tapered
BK-72.150L	689/92		508x222x241	150	1000		LHP Tapered
BK-72.150(RHP)	690		508x222x241	150	1150		RHP Tapered
BK-72.200L	694		523x279x248	200	1150		LHP Tapered
BK-72.200(RHP)	688		523x279x248	200	1000		RHP Tapered
Standby, Marine & Leisure (Light duty Deep Cycle)							
BK-M24MF	650 D/Cycle D/Post		260x175x225	76	550		LHP Stud/Terminal
BK-M27MF	674 D/Cycle D/Post		304x173x225	97	680		LHP Stud/Terminal

LEOCH / DELTEC Range							
1 Year Warranty							
01 September 2016							
Part No.	Description	Short Code	Dimensions LxWxH	A/H at 20hr rate	Volts		Terminal Layout
Leoch - Group 31							
BL-31S-800	grp31 - 31S-800		329X171X237	100	12		DUAL POST (LHP)
BL-31T-800	BCI-31-625		329X171X238	102	12		STUD POST (LHP)
Standby & UPS - Front Terminal							
BL-LPF12-100H	LPF12-100H		397X112X288	180	12		Front Terminal
BL-LPF12-180	LPF12-180		553X128X283	180	12		Front Terminal
BL-LPF12-250	LPF12-250						
Solar / Standby							
BL-LPS12-285	LPS12-285		522x26x220x226	262	12		

Motorcycle selection							
1 Year Warranty							
01 September 2016							
Part No.	Description		Dimensions LxWxHxTH	A/H at	CCA - 18°C SAE		Terminal Layout
Motor Cycle AGM Range							
FB-YT7B-4	KT7B-4		150x65x92	6	85		LHP
FB-KTZ-7S	KTZ-7S		114x71x106	6	75		RHP
FB-KTZ-10S	KTZ-10S		151x87x95	8.6	75		LHP
FB-KTZ-12S	KTZ-12S		151x87x110	11.2	100		LHP
FB-KTZ-14S	KTZ-14S		150X86X110X110	11.2	140		LHP

FB-YT12B-4	YT12-B4		150x70x130	10	115		LHP
FBX22L-BS	YTX22L-BS		183x79x171	21	210		RHP
FB-YB30CL-BSMF	YB30CL-B		168x132x190	30	280		RHP
Motor Cycle AGM Range							
FB-YT7B-BS	YT7B-BS		150x65x93	6	85		LHP
FB-YTZ-14S-BS	YTZ14S-BS		150x87x110	11.3	140		LHP
FBX4L-BS	BKX4L-BS		114x71x86	3	40		RHP
FBX5L-BS	BKX5L-BS		114x71x106	4	55		RHP
FBX7A-BS	BKX7A-BS		114x71x131	6	85		LHP
FBX7L	BKX7L-BS		152x88x94	6	75		RHP
FBX9A-BS	BKX9-BS		152x88x107	8	90		LHP
FBX12-BS	BKX12-BS		152x88x131	10	160		LHP
FBX12L-BS	BKX12L-BS		152x88x131	10	160		RHP
FBX14-BS	BKX14-BS		152x88x146	12	180		LHP
FBX14L-BS	BKX14L-BS		152x88x146	12	180		RHP
FBX14AH-BS	BKX14AH-BS		134x89x166	13	160		LHP
FBX15-BS	BKX15-BS		175x87x130	13	180		LHP
FBX16-BS	BKX16-BS		152x88x161	14	200		LHP
FBX16L-BS	BKX16L-BS		152x88x161	14	200		RHP
FBX19-BS	BKX19-BS		175x100x155	18	210		RHP
FBX20-BS	BKX20-BS		175x87x155	18	210		LHP
FBX20L-BS	BKX20L-BS		175x88x155	18	210		RHP
Conventional							
FB-12N5-3B	12N5-3B		120x61x130	5	40		RHP
FB-12N5-4B	12N5-4B		120x61x130	5	40		LHP
FB-12N7-3B	12N7-3B		137x75x134	8	90		RHP
FB-12N7-4A	12N7-4A		137x75x134	8	90		LHP
FB-12N7A-3A	12N7A-3A		60x132x132	7	146		RHP
FB-12N9-3B	12N9-3B		137x75x139	9	90		RHP
FB-12N9-4B-1	12N9-4B-1		137x75x139	9	90		LHP
FB-12N9-4M-1	12N9-4M-1		137x75x139	9	90		LHP
FB-12N10-3A	12N10-3A		134x90x145	10	95		RHP
FB-12N12-3B	12N12-3B		200x75x135	12	113		RHP
FB-12N12A-4A-1	12N12A-4A-1		134x80x160	12	113		LHP
FB-12N14-3A	12N14-3A		134x89x164	14	128		RHP
FB-12N14-3B	12N14-3B		134x89x164	14	128		RHP
FB-12N24-3	12N24-3		184x124x158(174)	24	218		RHP
YB Series - Heavy Duty							
FB-YB3L-A	YB3L-A		98x56x111	3	32		RHP
FB-YB3L-B	YB3L-B		98x56x111	3	32		RHP
FB-YB7C-A	YB7C-A		130x90x116	8	80		RHP
FB-YB12AL-A	YB12AL-A		134x80x160	10	135		RHP
FB-14L-A2	YB14L-A2		134x89x164	13	160		RHP
FB-YB16AL-A2	YB16AL-A2		205x70x162	16	190		RHP
FB-YB16CL-B	YB16CL-B		175x100x175	19	230		RHP
FB-HYB16A-A	HYB16A-A		146x88x180	16	140		LHP
FB-YB30CL-B	YB30CL-B		168x132x190	30	300		RHP

FB-Y50-N18L-A	Y50-N18L-A		206x92x160	20	220		LHP
FB-Y60H-24L	Y60H-24L		185x126x170	28	280		RHP

Deep Cycle Batteries							
US Battery 1 Year Warranty				01 September 2016			
Part No.	Description	Terminal Layout	Dimensions LxWxH (kg)	A/H at 20 hr rate			Terminal Layout
Golf Cart & Multi Purpose							
US-2200XC-UTL	6V105	Stud	260x181x286 (28)	232			
US-125-UTL	6V125	Stud	260x181x286 (30)	242			
US-145-UTL	6V145	Stud	260x181x302 (32)	251			
US-8VGC-UTL	8V875	Stud	260x181x286 (29)	170			
US-12VXC-UTL	12V1275	Stud	333x179x283 (40)	155			
Sweeper / Scrubber & Multi Purpose							
US-305XC-SW/H	6v J305HC	Taper & Lug	302x181x371 (41)	310			
US-L16HCS	6v L16	Taper & Lug	302x181x425 (54)	420			
Utility - Deep Cycle							
US-27DCXC-BLUE	12v Scrubber 27TMX	Taper & Stud	324x171x248	105			
US-31DCXC	12v 31XHS M31	Taper & Stud	330x171x248	130			

Trojan Range							
1 Year Warranty				01 September 2016			
Part No.	Description	Short Code	Dimensions LxWxH	A/H at 20hr rate	volt	Weight Kg	Description
Automotive Range							
GC-T105	T105		262x181x281	225	6		DEEP CYCLE FLOODED
GC-27TMH	27TMH		323x168x235	115	12		DEEP CYCLE FLOODED
GC-30XHS	30XHS		355X171X256	130	12		DEEP CYCLE FLOODED
GC-31AGM	DC31		341X173X233	100	12		DEEP CYCLE AGM
GC-T125	T125		262X181X281	240	6		DEEP CYCLE FLOODED
GC-T1275	T1275		329X181X272	150	12		DEEP CYCLE FLOODED
GC-T145	T145		262X181X302	260	6		DEEP CYCLE FLOODED
GC-T875	T875		259X179X283	170	8		DEEP CYCLE FLOODED

Premium Sealed Maintenance Free Selection							
Varta				01 September 2016			
2 YEAR WARRANTY ONLY ON AUTOMOTIVE APPLICATION WHEN SOLD IN SOUTH AFRICA							
Part No.	Description	Short Code	Dimensions LxWxH	A/H at 20hr rate	CCA -18°C En	Res Cap Minutes	Terminal Layout
AGM - Start / Stop							

BV-2070J	652 AGM SST	E39	278x175x190	70	760	113	RHP Tapered
BV-668F21	668 AGM SST	F21	315x175x190	80	800	143	RHP Tapered
BV-2095	658 AGM SST	G14	353x175x190	95	850	165	RHP Tapered
BV-20105-H15	Spec AGM SST	H15	393x175x190	105	950	180	RHP Tapered
Lead Acid - S.L.I							
BV-615A15H	615	A15H	187x127x228	35	280		LHP J Tapered
BV-616A14H	616	A14H	187x127x228	35	280		RHP J Tapered
BV-2741	618/9	A17	207x175x175	41	360	61	RHP Tapered
BV-618B18H	618/9 HC	B18H	207x175x175	43	370	0	RHP Tapered
BV-3545	634	B24	219x135x225	45	300	67	LHP Tapered
BV-3545BLUE	634	B34	238x129x227	45	330	67	LHP Tapered
BV-634JB33	634 - J post	B33	238x129x227	45	330	67	LHP Tapered
BV-2545	636	B23	219x135x225	45	300	67	RHP Tapered
BV-636B32H	636	B32H	238x129x228	45	300		RHP Tapered
BV-628D59H	628	D59	242x175x176	60	550		RHP Tapered
BV-2056	646	C14	242x175x190	55	480	87	RHP Tapered
BV-3056	643	C15	242x175x190	55	480	87	LHP Tapered
BV-2052	612 HC	C22	207x175x190	52	470	79	RHP Tapered
BV-646-D24H	646	D24H	242x175x190	60	520	0	RHP Tapered
BV-2660	649	D47	232x173x225	60	540	94	RHP Tapered
BV-649R-D48	649R	D48	232x173x225	60	510	94	LHP Tapered
BV-652E45	652 EFB Technology	E45	278x175x190	70	650		RHP Tapered
BV-647E9H	647/51	E9H	278x175x175	70	600		RHP Tapered
BV-652E11H	652	E11H	278x175x191	70	640		RHP Tapered
BV-3074	657	E12	278x175x190	74	680	121	LHP Tapered
BV-2070	652	E13	278x175x190	70	640	113	RHP Tapered
BV-2670	639	E23	261x175x220	70	640	113	RHP Tapered
BV-3670	638	E24	261x175x220	70	640	113	LHP Tapered
BV-2788	654	F5	353x175x175	88	760	150	RHP Tapered
BV-658F6H	658	F6H	353x175x190	90	640		RHP Tapered
BV-668F17H	668	F17H	315x175x175	80	630		RHP Tapered
BV-668F19	668	F19	315x175x190	85	800	154	RHP Tapered
BV-656G7H	656	G7H	306x173x226	90	690		RHP Tapered
BV-3695	650	G8	306x173x225	95	830	165	LHP Tapered
BV-658H3H	658	H3H	353x175x191	100	670		RHP Tapered
BV-110L6I1	Special	I1H	393x175x190	110	870		RHP Tapered
Automotive Range 1 Year Warranty							
BD-2435FB	MB Special	FB24-35	212X175X140	35	520	0	RHP Tapered
Automotive Range							
BV-6V-70	305	E29	175x167x220	70	330	100	Opp Taper
BV-6V-112	331	I11	260x175x238	112	510	170	Opp Taper
Premium Sealed Maintenance Free Selection							
Varta Heavy duty				01 September 2016			
2 YEAR WARRANTY ONLY ON AUTOMOTIVE APPLICATION WHEN SOLD IN SOUTH AFRICA							
Part No.	Industry reference	Short Code	Dimensions LxWxH	A/H at 20hr rate	CCA -18°C En	Res Cap Minutes	Terminal Layout

Heavy Duty Automotive & PROMotive Range (Trucking Applications)							
BV-140L	683	K8	513x189x223	140	800	273	LHP Tapered
BV-175-0E	689	0	513x223x224	170	1000	356	LHP Tapered
BV-692M8H	692	M8H	513x223x225	170			LHP Tapered
BV-225L	695	N9	518x276x242	225	1150	531	LHP Tapered
BV-696M18H	696	M18H	513x223x224	180	1000		LHP Tapered

Standby, Marine & Leisure (Semi Traction)							
Part No.	Description			A/H at 20hr rate	A/H at 5hr rate	Res Cap Minutes	
BV-LAD85	AGM	LAD85	260x169x231	85	70	145	RHP Tapered
BV-LFD60	D/Cycle	LFD60	242x175x190	60	51	109	RHP Tapered
BV-LFD75	D/Cycle	LFD75	278x175x190	75	64	141	RHP Tapered

Premium Sealed Maintenance Free Selection Optima 1 Year Warranty

01 September 2016

Part No.	Description	Short Code	Dimensions LxWxH	A/H at 20hr rate	CCA -18°C En	Res Cap Minutes	Terminal Layout
Optima Range (Spiral AGM Technology) Special Applications							
BVO-B55L	BT DC 4,2		254x175x200	55	760	120	LHP Stud/Terminal
BVO-B75L	BT DC 5,5		323x165x238	75	950	155	LHP Stud/Terminal
BVO-R6V50L	RT S 2,1		255x90x206	50	815	110	LHP Tapered
BVO-R50L	RT C 4,2		254x175x200	50	815	110	LHP Tapered
BVO-R50L(ST)	RT U 4,2		254x175x200	50	815	110	LHP Side Terminal
BVO-Y55L	YT S 4,2		254x175x200	55	760	120	LHP Tapered
BVO-Y75L	YT S 5,5		323x165x238	75	950	155	LHP Tapered

VARTA - Small Appliance

Primary Round - Alkaline	
MAX TECH	
Precision	
Product Code	Reference
4706B	AA - LR6, AM3, MN1500
4703B	AAA - LR03, Micro, AM4, MN2400
HIGH ENERGY	
Power	
Product Code	Reference
4906B	AA - LR6, AM3, MN1500
4903B	AAA - LR03, Micro, AM4, MN2400

4914B	C - LR14, Baby, AM2, MN1400
4920B	D - LR20, Mono, AM1, MN1300
4922B	9V - E Block, PP3, 6AM6, MN1604
LOGLIFE	
Durability	
Product Code	Reference
4106B	AA - LR6, AM3, MN1500
4103B	AAA - LR03, Micro, AM4, MN2400
4103B	AAA - LR03, Micro, AM4, MN2400
4114B	C - LR14, Baby, AM2, MN1400
4120B	D - LR20, Mono, AM1, MN1300
4122B	9V - E Block, PP3, 6AM6, MN1604

INDUSTRAIL CELLS - ALKALINE	
INDUSRTAIL	
Certified Quality	High Quality Alkaline - Cost Efficiency.
Product Code	Reference
4003	AAA - LR03, Micro, AM4, MN2400
4006	AA - LR6, AM3, MN1500
4014	C - LR14, Baby, AM2, MN1400
4020	D - LR20, Mono, AM1, MN1300

Primary Round - Zinc-Carbon	
SUPERLIFE	
Reliable Zinc-carbon for all low drain appliances	
Product Code	Reference
2006BP	AA - R6P, Mignon
2003BP	AAA - R03P, Micro
2014BP	C - R14P, Baby
2020BP	D - R20P, Mono
2022BP	9V - 6F22, E Block
2020	D - R20P, Mono
2006	AA - R6P, Mignon

Rechargeables / Chargers	
Rechargeable ACCU	Ready-2-Use Technology
Product Code	Reference
56703B	AAA - HR03, Micro 800 mAh R2U
5703BP2	HR03, AAA, Micro 1000mAh R2U
56736BP2	AA - HR6, 800mAh R2U
56706B	AA - HR6, 2100mAh R2U
56726B	AA - HR6, 2400mAh R2U

5716B	AA - HR6, 2600mAh R2U
56714B	C - HR14, 3000mAh R2U
56720B	D - HR20, 3000mAh R2U
56722B	9V - HR6F22, E Block 200mAh R2U
Chargers	
Product Code	Reference
57662 101 401	Pocket charger
57662 101 451	Pocket charger + 4 AA 2100
57668 101 401	Universal charger (Charges all sizes AA/AAA/C/D/9V)

Electronics - Button Cells	
Powerful Electronic Solutions	
Product Code	Reference
CR 1216	CR 1216 3v Lithium
CR 1220	CR 1220 3v Lithium
CR 1225	CR 1225 3v Lithium
CR 1616	CR 1616 3v Lithium
CR1620	CR 1620 3v Lithium
CR1632	CR 1632 3v Lithium
CR 2016	CR 2016 3v Lithium
CR 2025	CR 2025 3v Lithium
CR 2032	CR 2032 3v Lithium
CR 2320	CR 2320 3v Lithium
CR 2430	CR 2430 3v Lithium
CR 2450	CR 2450 3v Lithium
CR 1/3N	2 L 76, K58 L, 3v Lithium
V 11A	11A 6v Alkaline
V 13GA	LR44, A 76, 1.5V Alkaline
V 23GA	A23, MN21, L1028 12v Alkaline
V 27A	V 27A 12v Alkaline
V 625U	PX 625A, LR9 1.5v Alkaline
V 28PX	28 PX 6.2v Silver
4001	E90, MN 9100, LR1 1.5v Alkaline

Professional Lithium	
Professional Energy	
Product Code	Reference
6106B	LR6, AA, Lithium
6106B	LR6, AA, Lithium
6103B	LR03, Micro, AAA, Lithium
6103B	LR03, Micro, AAA, Lithium
6122B	E Block, 9v Lithium
2 CR5	2CR5

CR P2	CR P2
CR 123A	CR 123A, CR17345
CR 2	CR 2, CR 15 H270
CR2 NP	CR 2 NP 3v Lithium

Hearing Aid - Rayovac Proline Advance

Proline Advanced	
Product Code	Reference
AU 13	PR48, 290 mAh 1.4v Proline (Orange)
AU 10	PR70, 90 mAh 1.4v Proline (Yellow)
AU 312	PR41, 160 mAh 1.4v Proline (Brown)
AU 675	PR44, 630mAh 1.4v Proline (Blue)
895	5 in 1 Hearing aid cleaner

VARTA Flashlights

Indestructible Flashlights	
Product Code	Reference
18700	1 watt LED 3AAA
18701	1 watt LED 2AA
18702	3 watt LED 3C/LR14
18750	3 watt LED Beam lantern 4C/LR14
18760	5 watt LED lantern 3D/LR20
17731	1 watt LED Head Light 3AAA
18682	Rechargeable Lantern LED
16611	LED Pen Light
High Optics Flashlights	
18810	3 watt LED 3AAA
18811	3 watt LED 2AA
18812	4 watt LED 3C

Watch Cells

Size (equivalent)	
Product Code	Reference
V321	
V329	-
V357 (303)	SR 44
V364	SR 60
V370 (371)	SR 69
V371	SR 69
V377	SR 66
V379	SR 63
V384	SR 41
V386 (301)	SR 43

V389	SR 54
V390	SR 54
V392 (384)	SR 41
SR 48	SR 48
SR 57	SR 57

NOCO

Jump Starters

Product Code	Reference
GB20	BOOST SPORT 400A 12 UTLRA LITHUIM
GB40	BOOST PLUS 100A ULTRA SAFE LITHUIM
GB70	BOOST HD 200A ULTRA SAFE LITHUIM
GB150	BOOST PRO 400A 12 ULTRA SAFE LITHUIM

Chargers

Product Code	Reference
G750	6V & 12V 75A ULTRA SAFE SMART BATTERY CHARGER
G1100	6V & 12V 11A ULTRA SAFE SMART BATTERY CHARGER
G3500	6V & 12V 35A ULTRA SAFE SMART BATTERY CHARGER
G7200	12V & 24V 72A ULTRA SAFE SMART BATTERY CHARGER
G1500	12V & 24V 15A PRO SECURE ULTRA SAFE SMART BATTERY -C
G2600	12V & 24V 26A POR SECURE ULTRA SAFE SMART BATTERY-C

CTEK

Chargers

CTEK 6V

Product Code	Reference
56-080	XC 800 / 6V EU
56-729	XC0 0.8 / 6V EU

CTEK 12V

Product Code	Reference
56-707	XS 0.8 / 12V EU
56-309	MXS 3.8
56-305	MXS 5.0 T EU
56-731	MXS 7.0 EU
56-336	MULTI CS 25000 EXTENDED - C EU
56-732	MXS 25

ZAFIR 12V

Product Code	Reference
56-556	SAFIR 45
56-557	SAFIR 100

CTEK 12V & 24V

Product Code	Reference
56-995	MXTS 40EU
40-016	MXTS 70/50 EU K

CTEK 24V

Product Code	Reference
56-773	MXT 4.0 EU
56-290	MULTI XT 14000 EXTENDED
56-734	MXT 14 EU

CTEK DUAL

Product Code	Reference
56-667	D25 OS DUAL/SOLAR INPUT
56-740	D25 OTS 24 V
56-676	S.ARTPASS

CTEK MARINE

Product Code	Reference
56-220	M200 EU
56-298	M300